≯

PPLICANT FACSIMILE OF FORM PTO-144

ATTY DOCKET NO BCI-024CP

applicant.

LIS		PUBLICATIONS CITUS Use several sheets i	TED BY API		BCI-024CP APPLICANT Ingram, Lonnie FILING DATE	O. et al.	09/885297	TROP
				·	June 19, 2001		1652	· ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
			U.S. P	ATENT DOC	JMENTS		•	CN/2 3 200,
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	ĺ	NAME	CLASS	SUBCLASS	FILING DOCE IF APPROPRIAGE
Mus	<u>A1</u>	3,990,944	11/76	Gauss et al		195	33	4/3
"	A2	5,000,000	03/91	Ingram et a	I.	435	161	
_	A3	5,028,539	07/91	Ingram et a	l.	435	161	
	A4	5,162,516	11/92	Ingram et a	I.	536	27	
_	A5	5,424,202	06/95	Ingram et a	I.	435	161	
	A6	5,482,846	01/96	Ingram et a	l.	435	161	
_	A7	5,487,989	01/96	Fowler et a	I.	435	165	
4	A8	5,554,520	09/96	Fowler et a	1.	435	165	
ma	A9	5,821,093	10/98	Ingram et a	I.	435	161	

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	Country	CLASS	SUBCLASS	TRANSL	ATION
1 1		·					YES	NO
rent	A10	WO 98/45425 A1	10/98	WO	-			
mil	A11	WO 00/71729 A2,A3	11/00	WO		_		

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Asghari et al. (1996) Ethanol production from hemicellulose hydrolysates of agricultural residues using genetically engineered Escherichia coli strain KO11. J. Ind. Microbiol. 16:42-47 Barbosa et al. (1992) Expression of the Zymomonas mobilis alcohol dehydrogenase II (adhB) and pyruvate decarboxylase (pdc) genes in Bacillus. Current Microbiol. 28:279-282 Barras et al. (1994) Extracellular enzymes and pathogenesis of soft-rot Erwinia. Annu. Rev. A14 Phytopathol. 32:201-234 Beall et al. (1991) Parametric studies of ethanol production from xylose and other sugars by A15 recombinant Escherichia coli. Biotechnol. Bioeng. 38:296-303 Beall et al. (1992) Conversion of hydrolysates of corn cobs and hulls into ethanol by recombinant A16 Escherichia coli B containing integrated genes for ethanol production. Biotechnol. Lett. 14:857-Beall, et al. (1993) Genetic engineering of soft-rot bacteria for ethanol production from A17 lignocellulose. J. Indust. Microbiol. 11:151-155 Boyer, M.-H. et al. (1987) Isolation of the gene encoding the major endoglucanase of erwinia A18 chrysanthemi homology between cel genes of two strains of erwinia-chrysanthemi. FEMS Microbiol. Lett. 41(3):351-6 Boyer, M.-H. et al. (1987) Characterization of a new endoglucanase from Erwinia chrysanthemi. A19 Eur. J. Biochem. 162(2):311-6 **Date Considered** Examiner Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through \*EXAMINER: citation if not in conformance and not considered. Include copy of this form with next communication to

`/	61	۲	- v	
B	HUL	3	0 2003	

APPLICANT FRESIMILE OF FORM PTO-1449

(Use several sheets if necessary)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY DOCKET NO BCI-024CP

Sheet 2 of 5

LIST OF PUBLICATIONS CITED BY APPLICANT

Ingram, Lonnie O. et al.

June 19, 2001

1652

09/885297

ECH CONTER TO SO ON THE PARTY OF THE PARTY O OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Brooks et al. (1995) Conversion of mixed waste office paper to ehtanol by genetically en Klebsiella oxytoca strain P2. Biotechnol. Progress. 11:619-625 Burchhardt et al. (1992) Conversion of xylan to ethanol by ethanologenic strains of Escherichia B2 coli and Klebsiella oxytoca. Appl. Environ. Microbiol. 58:1128-1133 Cho. K.M. et al. (1999) Novel SSF process for ethanol production from microcrystalline cellulose В3 using the δ-integrated recombinant yeast, Saccharomyces cerevisiae L2612δGC. J. Microbiol. Biotechnol. 9:340-345 Conway, T. et al. (1987) Cloning and sequencing of the alcohol dehydrogenase II gene from **B**4 Zymomonas mobilis. J. Bacteriol. 169(6):2591-7 Conway et al. (1987) Gene expression in Zymomonas mobilis: promoter structure and **B**5 identification of membrane anchor sequences forming functional lacZ' fusion proteins. J. Bacteriol. 169:2327-2335 **B6** Doran et al. (1993) Fermentation of crystalline cellulose to ethanol by Klebsiella oxytoca containing chromosomally integrated Zymomonas mobilis genes. Biotechnol. Progress. 9:533-538 Doran et al. (1994) Saccharification and fermentation of sugar cane bagasse by Klebsiella **B**7 oxytoca P2 containing chromosomally integrated genes encoding the Zymomonas mobilis ethanol pathway, Biotechnol. Bioeng. 44:240-247 Fierobe, H.-P. et al. (1993) Purification and characterization of endoglucanase C from Clostridium B8 cellulolyticum. Catalytic comparison with endoglucanase A. Eur. J. Biochem. 217(2):557-65 Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 dependent on a **B9** plasmid function provided in trans. Proc. Natl. Acad. Sci. USA. 76: 1648-1652 Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel B10 hydrolysates by the ethanologenic strain of Escherichia coli. Biotechnol. Lett. 16:281-286 Guimaraes et al. (1992) Ethanol production from starch by recombinant Escherichia coli **B**11 containing integrated genes for ethanol production and plasmid genes for saccharification. Biotechnol. Lett. 14:415-420 Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic Escherichia coli. B12 Biotechnol. Bioeng. 40:41-45 Guiseppi, A. et al. (1991) Sequence analysis of the cellulase-encoding celY gene of Erwinia **B13** chrysanthemi: a possible case of interspecies gene transfer. Gene. 106(1):109-14 R14 Hahn-Hägerdal et al. (1994) An interlaboratory comparison of the performance of ethanolproducing micro-organisms in a xylose-rich acid hydrolysate. Appl. Microbiol. Biotechnol. 41:62-72 He et al. (1991) Cloned Erwinia chrysanthemi out genes enable Escherichia coli to selectively **B15** secrete a diverse family of heterologous proteins to its milieu. Proc. Natl. Acad. Sci. U.S.A. 88(3):1079-83 B16 Hueck et al. (1998) Type III protein secretion systems in bacterial pathogens of animals and plants. Microbiol. Mol. Biol. Rev. 62(2):379-433 Date Considered Examiner Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through \*EXAMINER: citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

÷	7,
S HUL	2003
<b>&amp;</b>	A SEICANT FAC
}	A SPICANT F

REV 7-80

\*EXAMINER:

applicant.

SIMILE OF FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTY DOCKET NO BCI-024CP

09/885297

Sheet 3 of 5

LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)

Ingram, Lonnie O. et al.

June 19, 20<u>01</u>

1652

TCHCO SOOS OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Ingram et al. (1987) Genetic engineering of ethanol production in Escherichia coli. App Microbiol. 53(10):2420-5 Ingram et al. (1988) Expression of different levels of ethanologenic enzymes from zymomonas C2 mobilis in recombinant strains of Escherichia coli. Appl. Environ. Microbiol. 54:397-404 Ingram, et al. (1999) Enteric bacterial catalysts for fuel ethanol production. Biotechnol. Prog. C3 15:855-866 Kuhnert, P. et al. (1997) Detection system for Escherichia coli-specific virulence genes: absence C4 of virulence determinants in B and C strains. Appl. Environ. Microbiol. 63(2):703-9 Lai et al. (1996)Cloning of cellobiose phosphoenolpyruvate-dependent phosphotransferase C5 genes: Functional expression in recombinant Escherichia coli and identification of a putative binding region for disaccharides. Appl. Environ. Microbiol. 63:355-363 Lindeberg et al. (1992) Analysis of eight out genes in a cluster required for pectic enzyme C6 secretion by Erwinia chrysanthemi: sequence comparison with secretion genes from other gramnegative bacteria. J. Bacteriol. 174(22):7385-97 Lindeberg et al. (1996) Complementation of deletion mutations in a cloned functional cluster of C7 Erwinia chrysanthemi out genes with Erwinia carotovora out homologues reveals OutC and OutD as candidate gatekeepers of species-specific secretion of proteins via the type II pathway. Mol. Microbiol. 20(1):175-90 Lynd et al. (1991) Fuel ethanol from cellulosic biomass. Science 251:1318-1323 C8 Martinez-Morales, F. et al. (1999) Chromosomal integration of heterologous DNA in Escherichia C9 coli with precise removal of markers and replicons used during construction. J. Bacteriol. 181(22):7143-8 Moniruzzaman et al. (1996) Ethanol production from afex pretreated corn fiber by recombinant C10 bacteria. Biotechnol. Lett. 18:985-990 Moniruzzaman, M. et al. (1997) Extracellular melibiose and fructose are intermediates in raffinose C11 catabolism during fermentation to ethanol by engineered enteric bacteria. J. Bacteriol. 179(6):1880-6 Moniruzzaman et al. (1998) Ethanol production from dilute acid hydrolysate of rice hulls using C12 genetically engineered Escherichia coli. Biotechnol. Lett. 20:943-947 Murata et al. (1990) Characterization of transposon insertion out- mutants of Erwinia carotovora C13 subsp. carotovora defective in enzyme export and of a DNA segment that complements out mutations in E. carotovora subsp. carotovora, E. carotovora subsp. atroseptica, and Erwinia chrysanthemi. J. Bacteriol. 172:2970-2978 Ohta, K. et al. (1991) Genetic improvement of Escherichia coli for ethanol production: C14 chromosomal integration of Zymomonas mobilis genes encoding pyruvate decarboxylase and alcohol dehydrogenase II. Appl. Environ. Microbiol. 57(4):893-900 Okamoto et al. (1994) Cloning of the Acetobacter xylinum cellulase gene and its expression in C15 Escherichia coli and Zymomonas mobilis. Appl. Microbiol. Biotechnol. 42(4):563-8 Osman, et al. (1985) Mechanism of ethanol inhibition of fermentation in Zymomonas mobilis CP4. C16 J. Bact. 164:173-180 Date Considered Examiner 8104 Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through

citation if not in conformance and not considered. Include copy of this form with next communication to

Sheet 4 of 5

PLICANT FACSIMILE OF FORM PTO-1449	U.S. DEPARTMENT OF
	COMMERCE
y 7-80	PATENT AND TRADEMARK OFF

ATTY DOCKET NO BCI-024CP

09/885297

LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)

Ingram, L nnie O. et al.

June 19, 2001

1652

		June 19, 2001							
		OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)							
leas	D1	OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)  Nidetzky, et al. (1995) Synergistic interaction of cellulases from Trichoderma reesei during cellulose degradation p.90-112  Pósfai, G. et al. (1997) Versatile insertion plasmids for targeted genome manipulations in bacteria: isolation, deletion, and rescue of the pathogenicity island LEE of the Escherichia coli O157:H7 genome. J. Bacteriol. 179(13):4426-8							
	D2								
	D3	Poulsen, O.M. et al. (1992) Degradation of microcrystalline cellulose synergism between different endoglucanases of cellulomonas-sp atcc 21399. Biotech. Bioeng. 39(1):121-23							
	D4	Pugsley et al. (1993) The complete general secretory pathway in gram-negative bacteria.  Microbiol. Rev. 57(1):50-108  Pugsley et al. (1997) Recent progress and future directions in studies of the main terminal branch of the general secretory pathway in Gram-negative bacteriaa review. Gene 192: 13-19							
	D5								
	D6	Riedel, K. et al. (1997) Synergistic interaction of the Clostridium stercorarium cellulases avicelase I (CelZ) and avicelase II (CelY) in the degradation of microcrystalline cellulose. FEMS Microbiol. Lett. 147:239-243							
	D7	Saito et al. (1990) Expression of a thermostable cellulase gene from a thermophilic anaerobe in Saccharomyces cerevisiae. J. Ferment. Bioeng. 69:282-286							
	D8	Sheehan, J., (1994) Bioconversion for production of renewable transportation fuels in the United States. <i>Amer. Chem. Soc.</i> pp 1-52							
$\prod$	D9	Su et al. (1993) Simultaneous expression of genes encoding endoglucanase and β-glucosidase in Zymomonas mobilis. Biotechnol. Lett. 15:979-984							
$\prod$	D10	Tomme, et al. (1995) Cellulose hydrolysis by bacteria and fungi. Adv. Microb. Physiol. 37:1-81							
$\top$	D11	Wood et al. (1988) Methods for measuring cellulase activities. Methods in Enzymology 160:87-112							
	D12	Wood, et al. (1992) Ethanol production from cellobiose, amorphous cellulose, and crystalline cellulose by recombinant Klebsiella oxytoca containing chromosomally integrated Zymomonas mobilis genes for ethanol production and plasmids expressing thermostable cellulase genes from Clostridium thermocellum. Appl. Environ. Microbiol. 58(7):2103-10							
	Wood <i>et al.</i> (1997) Production of recombinant bacterial endoglucanase as a co-product we ethanol during fermentation using derivatives of <i>Escherichia coli</i> KO11. <i>Biotech. Bioeng.</i> 55:547-555								
П	D14	Woodward, J. (1991) Synergism in cellulase systems. Bioresource Technol. 36:67-75							
	D15	Wyman, C.E. et al. (1995) Economic fundamentals of ethanol production from lignocellulosic biomass. Amer. Chem. Soc. Symp. 618:272-290							
	D16	Yomano et al. (1998) Isolation and characterization of ethanol-tolerant mutants of Escherichia co KO11 for fuel ethanol production. J. Ind. Microbiol. Biotechnol. 20(2):132-8							
M	D17	Zhou, S. et al. (1999) Enhancement of expression and apparent secretion of Erwinia chrysanthemi endoglucanase (encoded by celZ) in Escherichia coli B. B. Appl. Environ. Microbiol. 65:2439-2445							
xamin	ner	Date Considered 5/18/04							
XAM	INER:	Initial reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

1111 3 0 5000 H				
				She
APPLICANT FA	CSIMILE OF FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	ATTY DOCKET NO	SERIAL NO.
APPLICANT FA		PATENT AND TRADEMARK OFFICE	BCI-024CP	09/885297
LIST	OF PUBLICATIONS CITE	BY APPLICANT	APPLICANT	(2)
	(Use several sheets if ne		Ingram, L <u>nnie O. <i>t al</i>.</u>	14

at 5 of 5

97

CHONING SON 1652 June 19, 2001 OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Zhou, S. et al. (1999) Engineering endoglucanase-secreting strains of ethanologenic Kleb oxytoca P2. J. Indust. Microbiol. Biotechnol. 22:600-607 Zhou, S. et al. (2000) Synergistic hydrolysis of carboxymethyl cellulose and acid-swollen cellulose by two endoglucanases (CelZ and CelY) from Erwinia chrysanthemi. J. Bacteriol. 182:5676-5682 Zhou, S. et al. (2001) Gene integration and expression and extracellular secretion of Erwinia chrysanthemi endoglucanase CelY (celY) and CelZ (celZ) in ethanologenic Klebsiella oxytoca P2. Appl. Environ. Microbiol. 67: 6-14 Date Considered Examiner Initial if refereacts considered, whether or not citation is in conformance with MPEP 609; Draw line through \*EXAMINER:

citation if not in conformance and not considered. Include copy of this form with next communication to

applicant.